


# GEOMETRY



## SCRIPT

Size	S	M	L
TT (mm)	519	547	576
ST (°)	75	74.5	74
HT (mm)	115	145	180
HT (°)	72.5	72.8	73
ST (C-T, mm)	520	540	570
BB (mm)	54	54	54
CS (mm)	397	397	397
R (mm)	45	45	45
T (mm)	58	57	56
WB (mm)	971	987	1011
SO (mm)	762	786	816
Stack (mm)	502	532	566
Reach (mm)	389	399	414

## NEEDLE

Size	S	M	L
TT (mm)	524	560	589
ST (°)	74.5	74	73.5
HT (mm)	105	145	175
HT (°)	72.8	73	73.2
ST (C-T, mm)	500	530	560
BB (mm)	54	54	54
CS (mm)	397	397	397
R (mm)	45	45	45
T (mm)	57	56	55
WB (mm)	964	994	1016
SO (mm)	724	790	819
Stack (mm)	504	543	572
Reach (mm)	385	405	420

## ARISE

Size	S	M	L
TT (mm)	524	550	576
ST (°)	74	73.5	73.5
HT (mm)	120	143	180
HT (°)	73	73.2	73.5
ST (C-T, mm)	510	540	580
BB (mm)	55	55	55
CS (mm)	420	420	420
R (mm)	40	40	40
T (mm)	63	62	60
WB (mm)	989	1007	1030
SO (mm)	781	806	843
Stack (mm)	538	560	597
Reach (mm)	383	396	411

## HOOK 1 & 2

Size	S	M	L	XL
TT (mm)	526	544	562	579
ST (°)	74	74	73.5	73.5
HT (mm)	100	128	140	160
HT (°)	71	72	72	72
ST (C-T, mm)	510	540	560	580
BB (mm)	60	60	60	60
CS (mm)	425	425	425	425
R (mm)	45	45	45	45
T (mm)	72	65	65	65
WB (mm)	1004	1014	1027	1044
SO (mm)	778	807	822	840
Stack (mm)	530	560	572	591
Reach (mm)	374	384	393	404

# GEOMETRY

## HOOK 3

Size	XS	S	M	L	XL	XXL
TT (mm)	510	525	535	545	560	575
ST (°)	75	75	74.5	74	73.5	73
HT (mm)	100	115	125	135	145	160
HT (°)	70.5	70.5	71	71.5	72	72.5
ST (C-T, mm)	480	500	520	540	560	580
BB (mm)	53	53	55	55	57	57
CS (mm)	425	425	425	425	425	425
R (mm)	45	45	45	45	45	45
T (mm)	76	75	71	67	65	62
WB (mm)	1009	1020	1021	1022	1027	1031
SO (mm)	762	779	793	817	823	838
Stack (mm)	510	524	538	549	562	578
Reach (mm)	378	385	386	388	393	398

## TEMPEST

Size	XS	S	M	L
TT (mm)	538	549	561	577
ST (°)	73.5	73.5	73.3	73
HT (mm)	125	135	145	165
HT (°)	72.5	73	73.3	73.3
ST (C-T, mm)	490	510	530	550
BB (mm)	72	72	72	72
CS (mm)	407	410	410	410
R (mm)	45	45	45	45
T (mm)	59	56	54	54
WB (mm)	973	982	989	1002
SO (mm)	748	763	778	796
Stack (mm)	538	550	560	579
Reach (mm)	378	386	392	399

## AUDAX

Size	XS	S	M	L	XL
TT (mm)	525	545	560	575	590
ST (°)	74	73	73	72.5	72.5
HT (mm)	100	120	135	155	170
HT (°)	71	71	71	71.5	71.5
ST (C-T, mm)	490	510	530	550	570
BB (mm)	72	72	72	72	72
CS (mm)	430	430	430	430	430
R (mm)	45	45	45	45	45
T (mm)	69	69	69	66	66
WB (mm)	1000	1011	1027	1033	1048
SO (mm)	740	758	775	794	811
Stack (mm)	510	528	543	563	578
Reach (mm)	378	382	393	396	407

## BEYOND

Size	S	M	L	XL
TT (mm)	555	575	600	625
ST (°)	74	73.5	73	71.5
HT (mm)	160	185	210	235
HT (°)	71	72	72	72
ST (C-T, mm)	475	495	525	550
BB (mm)	70	70	70	70
CS (mm)	455	455	455	455
R (mm)	45	45	45	45
T (mm)	76	70	70	70
WB (mm)	1063	1067	1086	1092
SO (mm)	791	813	839	861
Stack (mm)	613	640	664	688
Reach (mm)	379	385	396	396

# GEOMETRY

## OXBRIDGE

Size	XS	S	M	L
TT (mm)	545	550	569	592
ST (°)	74	74	73.5	73
HT (mm)	97	117	135	155
HT (°)	72.5	72.5	73	73
ST (C-T, mm)	523	543	563	583
BB (mm)	60	60	60	60
CS (mm)	416	416	416	416
R (mm)	45	45	45	45
T (mm)	60	60	56	56
WB (mm)	1000	1003	1016	1031
SO (mm)	770	791	810	826
Stack (mm)	510	528	549	566
Reach (mm)	398	398	407	418

## TRINITY

Size	S	M	L
TT (mm)	530	555	579
ST (°)	74	74	74
HT (mm)	110	147	167
HT (°)	71.5	71.5	71.5
ST (C-T, mm)	430	490	520
BB (mm)	70	70	70
CS (mm)	434	434	434
R (mm)	45	45	45
T (mm)	65	65	65
WB (mm)	1015	1032	1059
SO (mm)	663	683	696
Stack (mm)	533	565	584
Reach (mm)	380	391	411

## DIVIDE

Size	S	M	L
TT (mm)	587	605	628
ST (°)	74	74	74
HT (mm)	120	130	150
HT (°)	73	73	73
ST (C-T, mm)	470	510	560
BB (mm)	45	45	45
CS (mm)	403	403	403
R (mm)	30	30	30
T (mm)	76	76	76
WB (mm)	1005	1028	1054
SO (mm)	794	819	826
Stack (mm)	550	561	580
Reach (mm)	422	440	460

## DASH

Size	-
TT (mm)	578 (22.75") actual C-C
ST (°)	71
HT (mm)	120
HT (°)	75
ST (C-T, mm)	332
BB (mm)	10
CS (mm)	393
R (mm)	24
T (mm)	59
WB (mm)	1001
SO (mm)	742
Stack (mm)	496
Reach (mm)	444